Steps Position

Step Option 1

Step Option 2

ICC ES™
CERT# ESR-2782

KAFKO POOL PRODUCTS

MEXICO 16' x 32' LEFT

STEEL		PERIMETER:	83'-10"	VOLUME (US Gal):	11 400
DWG #: KAMC24S1632L10		AREA (SqFt):	407	VOLUME (Litres):	43 200
		LINER AREA (SqFt):	513	DATE:	01/Jan/2010
PART# :	MC24S1632	SAFETY COVER (SqFt):	613	SCALE:	1/8" = 1'-0"

Feet First™

NON-DIVING POOL

USE OF DIVING EQUIPMENT IS PROHIBITED

MEETS DEPTH AND SHAPE MINIMUM STANDARD ANSI/NSPI5-2003

MEXICO

Diagonals		4 To 16	24'-1 1/2"	10 To 15	13'-5"
S1 To S2	12'-9 1/4"	4 To 17	16'-0 3/4"	11 To 13	10'-2 1/2"
S2 To H1	17'-11 1/2"	4 To 18	15'-6 1/2"	11 To 14	12'
S1 To H2	15'-1"	5 To 16	21'-3 3/4"	11 To 15	15'
H2 To H1	16'-0 3/4"	5 To 17	16'-6 3/4"	12 To 14	10'-2 1/2"
1 To 13	31'-5 3/4"	6 To 16	19'-11 1/2"	13 To 17	27'-8"
1 To 19	6'-5 1/4"	6 To 17	16'-4 3/4"	13 To 20	31'-8 3/4"
2 To 18	11'-10 3/4"	7 To 16	16'-11 3/4"		
2 To 19	7'-10"	7 To 17	15'-4"		
2 To 20	6'-5 1/4"	8 To 16	15'-8"		
3 To 17	15'-6 1/2"	8 To 17	15'-7 1/4"		
3 To 18	14'-10 3/4"	9 To 15	13'-4 3/4"		
3 To 19	11'-10 3/4"	9 To 16	13'-4 3/4"		
4 To 14	27'-5 3/4"	9 To 17	18'-11"		
4 To 14	27'-5 3/4"	10 To 14	12'-4 1/2"		

2010

Part number	Description	Qty (No Step)	Qty (Option 1)	Qty (Option 2)
ST0960002X	8' Straight Plain	2	1	1
ST0960002*	8' Straight Skimmer	1	1	1
ST0960002*	8' Straight Return	1	1	1
ST0600001X	5' Straight Plain	4	4	4
ST0360000X	3' Straight Plain	2	2	2
ST0240000X	2' Straight Plain	2	2	2
ST0240000*	2' Straight Return	1	1	1
ST0120000X	1' Straight Plain	1	3	1
CR0190240XX	2RR-1'7"	2	2	2
CN0190240XX	2R-1'7"	6	6	6
CN0380240XX	2R-3'2" Corner	2	2	2
XXX-XXX	Panel Brace	22	24	22
IPC-HDWSTRT150	Hardware, Straight 150 Pack	2	2	2
IPC-STKPK25	Rebar Stake, 18" 25 Pack	2	3	2
	6ft Straight Step	-	1	-
	8ft Straight Step	-	-	1

	A	B	C	D
1	5'-6 1/2"	32'-6"	33'-8 1/2"	10'-6 1/2"
2	4'-2"	31'-8 1/2"	33'-7 1/2"	11'-11 1/2"
3	4'-2"	27'-11"	31'-11"	16'-0 1/4"
4	5'-6 1/2"	26'-6"	30'-11 3/4"	17'
5	9'-6 1/2"	22'-6"	27'-7 3/4"	18'-8 1/4"
6	10'-11 1/2"	21'-1"	26'-1 3/4"	18'-11 1/2"
7	13'-4 1/4"	19'-1 3/4"	23'-2 1/4"	18'-8 1/4"
8	14'-10 1/4"	17'-10 1/4"	21'-8 1/2"	19'-3 3/4"
9	19'-9 1/4"	12'-11 1/2"	17'-10 3/4"	23'-3 1/2"
10	21'-1"	11'-5 1/2"	17'-4 1/2"	24'-9 3/4"
11	23'-0 3/4"	8'-11 3/4"	17'-10 1/4"	27'-9"
12	25'-10 3/4"	6'-2"	16'-6 3/4"	30'-1 1/2"
13	32'-1 1/4"	6'-5 1/4"	9'-8"	32'-11"
14	32'-9"	9'-3 1/4"	6'-10 1/4"	32'-1 3/4"
15	29'-4 3/4"	17'-0 1/2"	7'-1"	24'-11 1/2"
16	28'-6"	18'-2"	8'-6"	23'-6 1/2"
17	17'	30'-11 3/4"	26'-6"	5'-6 1/2"
18	16'-0 1/4"	31'-11"	27'-11"	4'-2"
19	11'-11 1/2"	33'-7 1/2"	31'-8 1/2"	4'-2"
20	10'-6 1/2"	33'-8 1/2"	32'-6"	5'-6 1/2"
H1	8'	24'-0 1/4"	28'-10 3/4"	17'-11 1/2"
H2	17'-11 1/2"	28'-10 3/4"	24'-0 1/4"	8'
S1	16'-4"	16'-4 1/4"	20'-6"	20'-5 3/4"
S2	22'-8 1/4"	22'-8 1/4"	16'-0 1/4"	16'
A	-	32'-0 1/4"	35'-10"	16'-0 3/4"

MEXICO 16' x 32' LEFT | DWG #: KAMC24S1632L10 | DATE: 01/Jan/2010 | SHEET: 2 OF 2

Steps Position

Step Option 1

Step Option 2

ICC ES™

CERT# ESR-2782

KAFKO POOL PRODUCTS

MEXICO 16' x 32' RIGHT

STEEL	PERIMETER: 83'-10"	VOLUME (US Gal):	11 400
DWG #: KAMC24S1632R10	AREA (SqFt): 407	VOLUME (Litres):	43 200
	LINER AREA (SqFt): 513	DATE:	01/Jan/2010
PART# : MC24S1632	SAFETY COVER (SqFt): 613	SCALE:	1/8" = 1'-0"

Feet First™

NON-DIVING POOL

USE OF DIVING EQUIPMENT IS PROHIBITED

MEETS DEPTH AND SHAPE MINIMUM STANDARD ANSI/NSPI5-2003

MEXICO

Diagonals		4 To 16	24'-1 1/2"	10 To 15	13'-5"
S1 To S2	12'-9 1/4"	4 To 17	16'-0 3/4"	11 To 13	10'-2 1/2"
S2 To H1	17'-11 1/2"	4 To 18	15'-6 1/2"	11 To 14	12'
S1 To H2	15'-1"	5 To 16	21'-3 3/4"	11 To 15	15'
H2 To H1	16'-0 3/4"	5 To 17	16'-6 3/4"	12 To 14	10'-2 1/2"
1 To 13	31'-5 3/4"	6 To 16	19'-11 1/2"	13 To 17	27'-8"
1 To 19	6'-5 1/4"	6 To 17	16'-4 3/4"	13 To 20	31'-8 3/4"
2 To 18	11'-10 3/4"	7 To 16	16'-11 3/4"		
2 To 19	7'-10"	7 To 17	15'-4"		
2 To 20	6'-5 1/4"	8 To 16	15'-8"		
3 To 17	15'-6 1/2"	8 To 17	15'-7 1/4"		
3 To 18	14'-10 3/4"	9 To 15	13'-4 3/4"		
3 To 19	11'-10 3/4"	9 To 16	13'-4 3/4"		
4 To 14	27'-5 3/4"	9 To 17	18'-11"		
4 To 14	27'-5 3/4"	10 To 14	12'-4 1/2"		

2010

Part number	Description	Qty (No Step)	Qty (Option 1)	Qty (Option 2)
ST0960002X	8' Straight Plain	2	1	1
ST0960002*	8' Straight Skimmer	1	1	1
ST0960002*	8' Straight Return	1	1	1
ST0600001X	5' Straight Plain	4	4	4
ST0360000X	3' Straight Plain	2	2	2
ST0240000X	2' Straight Plain	2	2	2
ST0240000*	2' Straight Return	1	1	1
ST0120000X	1' Straight Plain	1	3	1
CR0190240XX	2RR-1'7"	2	2	2
CN0190240XX	2R-1'7"	6	6	6
CN0380240XX	2R-3'2" Corner	2	2	2
XXX-XXX	Panel Brace	22	24	22
IPC-HDWSTRT150	Hardware, Straight 150 Pack	2	2	2
IPC-STKPK25	Rebar Stake, 18" 25 Pack	2	3	2
	6ft Straight Step	-	1	-
	8ft Straight Step	-	-	1

	A	B	C	D
1	5'-6 1/2"	32'-6"	33'-8 1/2"	10'-6 1/2"
2	4'-2"	31'-8 1/2"	33'-7 1/2"	11'-11 1/2"
3	4'-2"	27'-11"	31'-11"	16'-0 1/4"
4	5'-6 1/2"	26'-6"	30'-11 3/4"	17'
5	9'-6 1/2"	22'-6"	27'-7 3/4"	18'-8 1/4"
6	10'-11 1/2"	21'-1"	26'-1 3/4"	18'-11 1/2"
7	13'-4 1/4"	19'-1 3/4"	23'-2 1/4"	18'-8 1/4"
8	14'-10 1/4"	17'-10 1/4"	21'-8 1/2"	19'-3 3/4"
9	19'-9 1/4"	12'-11 1/2"	17'-10 3/4"	23'-3 1/2"
10	21'-1"	11'-5 1/2"	17'-4 1/2"	24'-9 3/4"
11	23'-0 3/4"	8'-11 3/4"	17'-10 1/4"	27'-9"
12	25'-10 3/4"	6'-2"	16'-6 3/4"	30'-1 1/2"
13	32'-1 1/4"	6'-5 1/4"	9'-8"	32'-11"
14	32'-9"	9'-3 1/4"	6'-10 1/4"	32'-1 3/4"
15	29'-4 3/4"	17'-0 1/2"	7'-1"	24'-11 1/2"
16	28'-6"	18'-2"	8'-6"	23'-6 1/2"
17	17'	30'-11 3/4"	26'-6"	5'-6 1/2"
18	16'-0 1/4"	31'-11"	27'-11"	4'-2"
19	11'-11 1/2"	33'-7 1/2"	31'-8 1/2"	4'-2"
20	10'-6 1/2"	33'-8 1/2"	32'-6"	5'-6 1/2"
H1	8'	24'-0 1/4"	28'-10 3/4"	17'-11 1/2"
H2	17'-11 1/2"	28'-10 3/4"	24'-0 1/4"	8'
S1	16'-4"	16'-4 1/4"	20'-6"	20'-5 3/4"
S2	22'-8 1/4"	22'-8 1/4"	16'-0 1/4"	16'
A	-	32'-0 1/4"	35'-10"	16'-0 3/4"

MEXICO 16' x 32' RIGHT | DWG #: KAMC24S1632R10 | DATE: 01/Jan/2010 | SHEET: 2 OF 2